












Pyriproxyfen 10% EC
POROS™



Dose: 500ml / Acre

Presentation : 1 Ltr & 500 ml



POROS (Pyriproxyfen 10% EC)

Mode of Action ▶

Poros is a systemic **Insect Growth Regulator** that suppresses embryogenesis & inhibits metamorphosis and reproduction in insects. It is used for the control of sucking pest on Cotton & Chilli crops.

Recommendation >

Crop (S)	Common Name of Pest	Dosage / HA		Dilution in water
		a.i. (g)	Formulation (ml)	(Litre)
Cotton	Whitefly, Aphid	50	500	500
Chilli	Whitefly, Aphid	50	500	500











Method of Use ▶

It should be applied as foliar spray. No specific soil conditions are prescribed. Uniform coverage is necessary for effective control of insect pests. A simple knapsack sprayer fitted with hollow cone nozzle type can be used for spraying. Mix the recommended dose 1/4 of the recommended quantity of water to the spray tank with agitation. Add remaining quantity of water with continuous agitation. Ensure complete dispersion of the product in mix water before spraying of the spray solution. Maintain agitation while spraying.

Time of Application ▶

Apply as soon as the insect population begins to appear in the field but before it reaches Economic Threshold Level (ETL). Weather should be clear, calm, no rains and no strong winds.

Number of Application: 2-3 sprays are required at the interval of 7-14 days, depending upon the pest infestation. No more than three sprays in a season.