



Best Agrolife Limited

(An ISO 9001 : 2015 Certified Company)

Steadfast, Robust
Disease Control
For Healthier Crops With
Higher Yield Potential



Dose:
600 g
Per Acre

Presentation : 600 g & 300 g



PROMOS (Metiram 55% + Pyraclostrobin 5% WG)



Mode of Action ►

Promos (Metiram 55% + Pyraclostrobin 5% WG) is a combination of fungicide which provides effective control of early blight disease in Tomato, late blight disease in Potato, downy mildew disease in Grape, anthracnose disease in Chilli, purple blotch disease in Onion, alternaria leaf spot disease in Cotton, premature leaf fall disease (marssonina spp.), alternaria leaf spot and leaf blight disease in Apple, alternaria blight & powdery mildew in Cumin, cercospora leaf spot disease in Green gram, tikka disease in Ground nut, fruit spot disease in Pomegranate, leaf spot disease in Blackgram, downy mildew disease in Cucumber, sigatoka leaf spot disease in Banana, downy mildew disease in Bitter gourd.

- **Climb intercepts the energy supply of the fungus to control the spread across the Crop.**
- **Its unique mode of action penetrates fast in the leaf tissues and deposits in the waxy layer, ensuring a longer protection duration.**
- **Effective in broad-spectrum disease control.**
- **A crop solution that protects your Crop, enhances the yield, and drives you into the future.**

Recommendation ►

Crop (S)	Common Name of Diseases	Dosage / HA		Dilution in water (Litre)
		a.i. (g/ha)	Formulation (g/ha)	
Grape	Downy Mildes	900-1050	1500-1750	750
Pomegranate	Fruit spot disease	900-1050	1500-1750	500
Potato	Late Blight	900-1050	1500-1750	500
Blackgram	Leaf Spot Disease	900-1050	1500-1750	500
Tomato	Early blight	900-1050	1500-1750	500
Cotton	Alternaria leaf spot	900-1050	1500-1750	500
Bitter gourd	Downy mildew disease	900-1050	1500-1750	500
Banana	Sigatoka leaf spot disease	900-1050	1500-1750	500
Cucumber	Downy mildew disease	900-1050	1500-1750	500
Cumin	Alternaria blight & Powdery Mildew	900-1050	1500-1750	500
Onion	Purple Blotch	900-1050	1500-1750	500
Chilli	Anthracnose	900-1050	1500-1750	500
Greengram	Cercospora leaf spot	900-1050	1500-1750	500
Groundnut	Tikka disease	900-1050	1500-1750	500
Apple	Premature leaf fall disease (Marssonina spp.), Alternaria leaf spot and leaf blight disease	1050	1750 g/ha 100 g /100 ltr.	1750

Method of Use ►

Measure out required quantity of the product and mix it well with a small quantity of water. Add the remaining quantity of water with through agitation.

Time of Application ►

Preventive application before the first symptoms of disease observed.